

HT-SERIES™ SNOW TRACTOR



RESPOND
FULL
FORCE



GAIN CONTROL. GAIN EFFICIENCY. GAIN THE ADVANTAGE.

In the ever-constant pursuit of finding faster, smarter, more effective means to clear runways, a growing number of airports are turning to multi-tasking equipment (MTE). And no MTE is more capable than the new HT-Series™ snow tractor from Oshkosh. A rolling, 81,000-pound Swiss Army Knife, the HT-Series offers flexibility, maneuverability, and cost savings, unmatched by any other MTE. Built with direct input from professionals like you, it's not only the next big thing from Oshkosh, it's the next big way from Oshkosh to **Respond Full Force**.





SETTING THE STANDARD FOR SAFETY AND RELIABILITY.

The Oshkosh HT-Series™ snow tractor wouldn't be an Oshkosh, if it didn't showcase a commitment to safety and reliability unrivaled in the snow removal industry. A new cab-over chassis design, putting operators high above the action is just one example of how Oshkosh continues to raise the bar.

- Features the same outstanding visibility, wiper coverage, defroster system and on-dash error messages and warnings, as the recently updated H-Series™ snow chassis.
- Daily truck maintenance station at left side of vehicle.
- Engine oil check from ground level.
- Total commonality with Oshkosh componentry already in airport fleets.
- On-board diagnostic connection for faster troubleshooting.
- Fully integrated, seamless hydraulics and control package.



REMARKABLE FLEXIBILITY. An MTE vehicle in the truest sense of the word, the HT-Series snow tractor can perform a myriad of functions, including plowing, deicing, forced-air blowing and scraping. It accepts a wide range of plows, underbody scrapers, material spreaders, tow behind brooms or combinations of each. In short, it provides everything you need to meet your airport's unique snow removal challenges.



- Quick Hitch system allows for convenient link/delink of tow behind brooms and front plow.
- Options for various wheelbases and mounted equipment.
- Options for 4x4 and 6x6 models with GVW ratings up to 87,000 pounds with standard steering, 81,000 pounds with ALL STEER® electronic all-wheel steering system.
- Supports any tow behind model specifically designed for the HT-Series snow tractor.





HEAD-TURNING MANEUVERABILITY. While other multi-tasking units require as much as 110 feet to complete a U-Turn, the HT-Series snow tractor with its ALL STEER® electronic all-wheel steering system can do it in less than 75 feet, wall to wall, with a 24-foot plow and a tow behind broom. Combined with its superior brooming capabilities—a steered broom unit keeps the broom from tracking outside the plow line—the HT can cut down on runway clearing times like no other MTE in the business.





STREAMLINE YOUR OPERATIONS. STREAMLINE YOUR BOTTOM LINE.

There's no doubt that with the HT-Series™ snow tractor, less is more. As a single unit that performs a combination of plowing, sweeping, scraping and/or forced-air blowing, getting to bare pavement can save a lot of time. And with fewer, multi-tasking vehicles doing the work, you can better utilize your equipment and personnel alike.



920-235-9150 www.oshkoshsnow.com

RESPOND FULL FORCE

© 2008 Oshkosh Corporation. Oshkosh, the Oshkosh logo and ALL STEER are registered trademarks and HT-Series and H-Series are trademarks of Oshkosh Corporation, Oshkosh, WI, USA. All other trademarks are the property of their respective owners. For reference only. The addition of options will change the listed standard dimensions and weights in some cases. For certified dimensions and weights, consult Oshkosh Corporation. Specifications, descriptions and illustrations in this literature are as accurate as known at the time of publication but are subject to change without notice. Ratings are general guidelines. Actual ratings vary with application and duty cycle. Illustrations might include optional equipment and accessories but might not include all standard equipment. Consult Oshkosh Corporation for additional information.